

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 07/15/2004

APPLICATION NO. FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. CQ10056 3441 09/763,115 02/16/2001 Richard John Knight EXAMINER 23493 7590 07/15/2004 SUGHRUE MION, PLLC TON, ANTHONY T 401 Castro Street, Ste 220 ART UNIT PAPER NUMBER Mountain View, CA 94041-2007 2661

Please find below and/or attached an Office communication concerning this application or proceeding.

		y .		
Office Action Summary		Application No. Applicant(s)		
		09/763,115	KNIGHT ET AL.	
		Examiner	Art Unit	
		Anthony T Ton	2661	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply				
A SHORTENED STATUTORY PE THE MAILING DATE OF THIS CC - Extensions of time may be available under the after SIX (6) MONTHS from the mailing date - If the period for reply specified above is less the - If NO period for reply is specified above, the mailing to reply its specified above, the mailing to reply within the set or extended perion and reply received by the Office later than three earned patent term adjustment. See 37 CFR	MMUNICATION.  provisions of 37 CFR 1.13  if this communication.  nan thirty (30) days, a reply  naximum statutory period v  od for reply will, by statute,  ee months after the mailing	36(a). In no event, however, may a r within the statutory minimum of thin rill apply and will expire SIX (6) MON cause the application to become AE	eply be timely filed  y (30) days will be considered tim  ITHS from the mailing date of this  JANDONED (35 U.S.C. § 133).	ely. communication.
Status				
1) Responsive to communication	on(s) filed on <u>16 Fe</u>	ebruary 2001.		
2a) This action is <b>FINAL</b> .	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.			
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.				
Disposition of Claims				
4)  Claim(s) 1-20 is/are pending in the application.  4a) Of the above claim(s) is/are withdrawn from consideration.  5)  Claim(s) is/are allowed.  6)  Claim(s) 1-20 is/are rejected.  7)  Claim(s) is/are objected to.  8)  Claim(s) are subject to restriction and/or election requirement.				
Application Papers				
<ul> <li>9) ☐ The specification is objected to by the Examiner.</li> <li>10) ☐ The drawing(s) filed on 16 February 2001 is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).</li> <li>11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.</li> </ul>				
Priority under 35 U.S.C. § 119				•
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of: <ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No</li> <li>Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>				
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing  3) Information Disclosure Statement(s) (PT Paper No(s)/Mail Date 3.		Paper No	Summary (PTO-413) (s)/Mail Date Informal Patent Application (P 	PTO-152)

Art Unit: 2661

#### **DETAILED ACTION**

### **Drawings**

1. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description: In **Fig.4** fails to show a reference for the **connection 68** which is provided between the receive and transmit interfaces as described in **page 15 line 3** in the specification.

Corrected drawing sheets, or amendment to the specification to add the reference character(s) in the description, are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

### Specification

2. The disclosure is objected to because of the following informalities:

Term "memory 26" in lines 12 and 18 of page 10 is improper. Accordingly, it would be buffer memory 24 coupled to the receive interface 20 as shown in Fig.2.

Examiner suggests changing this term to "memory 24"

Appropriate correction is required.

Page 2

Application/Control Number: 09/763,115 Page 3

Art Unit: 2661

### Claim Rejections - 35 USC § 112

3. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

- 4. Claims 1-6, 10-17, 19 and 20 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- a) Claims 1 and 10 recite the limitation "the adjacent switching nodes" in line 9. There is insufficient antecedent basis for this limitation in this claim.
- b) Claims 1 and 10 recite the limitation "via the respective switching node" in line 11.

  It is not clear; does this refer to "via said adjacent switching node"? There is insufficient antecedent basis for this limitation in this claim.
- c) Claim 6 recites the limitation "the sub-threshold" in line 3. There is insufficient antecedent basis for this limitation in the claim.

## Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 1-5, 10-14 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Soumiya et al. (US Patent No. 5,696,764) hereinafter referred to as Soumiya.

Application/Control Number: 09/763,115 Page 4

Art Unit: 2661

a) In Regarding to Claim 1: Soumiya disclosed a communications network for transferring data in accordance with a transfer priority number, the network having a number of switching nodes which transfer data transmitted between end stations coupled to the network (see Fig. 20), each switching node comprising:

a store for storing data prior to transfer (see Fig. 1b: Buffer 111);

a monitor for monitoring the volume of data being transferred through the switching node (see Fig.1b: block 121);

a comparator for comparing the volume of data to a first predetermined threshold (see Fig.11: comparator 121b and 121a; and col.23 lines 53-60); and

a signal generator for generating a congestion signal if the respective volume of traffic exceeds the first predetermined threshold (see Fig. 11: block 131 and col.23 line 66 – col.24 line 10: explicit forward congestion indicator "EFCI" in an ATM cell (a congestion signal)).

Soumiya failed to explicitly disclose wherein adjacent switching nodes and/or end stations are responsive to the congestion signal to temporarily store at least some of the data to be transferred via said adjacent switching node, the data for storage being selected in accordance with the priority number.

However, Soumiya inherently disclosed such adjacent switching nodes and/or end stations are responsive to the congestion signal to temporarily store at least some of the data to be transferred via said adjacent switching node, the data for storage being selected in accordance with the priority number because Fig. 20 (Prior Art) in Soumiya disclosed an ATM network; in which there are a plurality of adjacent switching nodes (3c-1 to 3c-n) and/or end stations (1a and 1b) that are responsive to the congestion signal to temporarily store at least some of the

data to be transferred via said adjacent switching node, the data for storage being selected in accordance with the priority number as shown in Fig.9.

Therefore, at the time of the invention, it would be obvious to a person of ordinary skill in the art to combine such adjacent switching nodes and/or end stations are responsive to the congestion signal to temporarily store at least some of the data to be transferred via said adjacent switching node, the data for storage being selected in accordance with the priority number teaching in the instant claim with Soumiya, so that a switching node in a communications network can be controlled properly. The motivation for doing so would have been to prevent congestion and provide an order during a transmission of data throughout a switching network orderly. Therefore, it would have been obvious to combine the instant claim and Soumiya the invention as specified in the claim.

- b) In Regarding to Claim 2: Soumiya further disclosed wherein the signal generator is adapted to generate an end-of-congestion signal when the respective volume of traffic falls below a second predetermined threshold (see col.24 lines 5-7), the adjacent switching nodes being responsive to the end-of-congestion signal to transfer the temporarily stored data, the data being accessed from the store in accordance with the priority number (see Figs. 20 and 9).
- c) In Regarding to Claim 3: Soumiya further disclosed wherein the second predetermined threshold corresponds to a lower volume of traffic than the first predetermined threshold (see col.23 lines 60-65; and col.24 lines 15-20: Xon > Xoff).
- d) In Regarding to Claim 4: Soumiya disclosed all aspects of this claim as set forth in claims 1-2; and Soumiya inherently disclosed wherein the second predetermined threshold equals the first predetermined threshold (see col.23 lines 53-65: wherein No1 >=1 and No2

Art Unit: 2661

>=1; therefore No1 (1st Threshold) = No2 (2nd Threshold); also see Fig.28: wherein sometimes

Queue Length of SCJ (2nd Threshold) = Queue Length of LCJ (1st Threshold)).

- e) In Regarding to Claim 5: Soumiya further disclosed wherein the monitor monitors the amount of data stored in the store (see col.12 lines 52-61).
- f) In Regarding to Claims 10-13: these claims are rejected for the same reasons as Claims 1-4, respectively because the apparatus in Claims 1-4 can be used to practice the method steps of Claims 10-13.
- g) In Regarding to Claim 14: Soumiya further disclosed wherein each switching node includes a store for temporarily storing data (see Fig. 1(a): any one of buffers 11), and wherein the step of monitoring the volume of data being transferred through the switching node comprises monitoring the amount of data stored in the store (see col. 12 lines 52-61).
- h) In Regarding to Claim 19: Soumiya further disclosed wherein each switching node includes a store for temporarily storing data (see Fig. 1(a): any one of buffers 11), and wherein the step of monitoring the volume of data being transferred through the switching node comprises monitoring the amount of data stored in the store (see col.12 lines 52-61).
- 7. Claims 6, 15-17 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Soumiya et al. (US Patent No. 5,696,764) in view of Caldara et al. (WO No. 97/03459) (provided by IDS #3) hereinafter referred to as Caldara.

Page 6

Art Unit: 2661

a) In Regarding to Claim 6: Soumiya disclosed all aspects of this claim as set forth in claim 1.

Soumiya failed to explicitly disclose wherein the first predetermined threshold comprises a number of predetermined sub-thresholds, the congestion signal including an indication of the sub-threshold which has been exceeded, and wherein the data to be temporarily stored is selected based on the sub-threshold exceeded and the priority number.

Caldara disclosed such wherein the first predetermined threshold comprises a number of predetermined sub-thresholds, the congestion signal including an indication of the sub-threshold which has been exceeded, and wherein the data to be temporarily stored is selected based on the sub-threshold exceeded and the priority number (see the last sentence in abstract; Fig. 13B: Threshold(3), Threshold(2) and Threshold(1); and Fig. 14: 112).

At the time of the invention, it would be obvious to a person of ordinary skill in the art to combine such wherein the first predetermined threshold comprises a number of predetermined sub-thresholds, the congestion signal including an indication of the sub-threshold which has been exceeded, and wherein the data to be temporarily stored is selected based on the sub-threshold exceeded and the priority number, as taught by Caldara with Soumiya, so that the input buffer of a switching node can be monitored and observed consecutively in a very short period of time in order to compare with corresponding predetermined thresholds. The motivation for doing so would have been to prevent congestion and provide efficiency for data transmission at a switching node in communications networks. Therefore, it would have been obvious to combine Caldara and Soumiya the invention as specified in the claim.

Art Unit: 2661

b) In Regarding to Claim 16 and Claim 17: Soumiya disclosed all aspects of these claims as set forth in claims 1-2 and claims 1-2,4, respectively.

Soumiya failed to explicitly disclose wherein the first predetermined threshold comprises a number of predetermined sub-thresholds, the congestion signal including an indication of the sub-threshold which has been exceeded, and wherein the data to be temporarily stored is selected based on the sub-threshold exceeded and the priority number (see details and the motivation as described in the claim 6 above).

- c) In Regarding to Claims 15 and 20: these claims are rejected for the same reasons as Claims 1 and 16, respectively because the apparatus in Claims 1 and 16 can be used to practice the method steps of Claims 15 and 20.
- 8. Claims 7-9 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Soumiya et al. (US Patent No. 5,696,764) in view of Ginossar (US Patent No. 6,477,143).
- a) In Regarding to Claim 7: Soumiya disclosed a station for coupling to a communications network which transfers data in accordance with a transfer priority number, the communications network being adapted to monitor the volume of data being transferred there through and to generate a congestion signal if the respective volume of traffic exceeds a first predetermined threshold (see Figs. 15, 17 and 18), the station comprising:

a store for storing data (see Fig. 10: 81);

an interface for coupling the station to the communications network (see Fig.15: it is inherently that there is an interface that is used to couple the end station 302 to the frame network 304); and

Art Unit: 2661

a processor responsive to the congestion signal to cause the station to temporarily store at least some of the data to be transferred to the communications network (see Fig. 10: 82 and 83), the data for storage being selected in accordance with the priority number (see Fig. 14).

Soumiya failed to explicitly disclose wherein such a station is and an end station.

However, it would be obviously that Soumiya's station can be implemented to either end node 10 or end node 15 as shown in Fig.1 of Ginossar.

At the time of the invention, it would be obvious to a person of ordinary skill in the art to combine such an end station, as taught by Ginossar with Soumiya, so that data packets can be transmitted and received at each end station without congestion. The motivation for doing so would have been to provide efficiency for data transmission from/to the end nodes in packet network of Ginossar. Therefore, it would have been obvious to combine Ginossar and Soumiya the invention as specified in the claim.

- b) In Regarding to Claim 8: Soumiya further disclosed wherein the communications network is adapted to generate an end-of-congestion signal when the respective volume of traffic falls below a second predetermined threshold (see col.24 lines 5-7), wherein the processor is responsive to the end-of-congestion signal to transfer the temporarily stored data, the data being accessed from the store in accordance with the priority number (see Figs. 20 and 9).
- c) In Regarding to Claims 9 and 18: Soumiya further disclosed wherein the processor generates the data to be transferred (see col.12 lines 52-61).

Page 9

Art Unit: 2661

#### **Examiner Information**

Page 10

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anthony T Ton whose telephone number is 703-305-8956. The examiner can normally be reached on M-F: 8:00 am - 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Douglas W Olms can be reached on 703-305-4703. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ATT 7/06/04

Alurin Sam